



Attorney Docket No. 1293.1789

wzc

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Hyung-soo KIM

Application No.: 10/601,759

ATTENTION

Confirmation No.: 7336

CERTIFICATE OF CORRECTION

Filed: June 24, 2003

BRANCH

U.S. Patent No.: 6,865,004

Batch No.:

Issued: March 8, 2005

For: OPTICAL SCANNING APPARATUS

Certificate
OCT 19 2005
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:


Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake(s) shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date: Oct. 14, 2008

By: 
Gene M. Garner, II
Registration No. 34,172

1201 New York Ave, N.W., Suite 700
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO : 6,865,004 *B2*

DATED : March 8, 2005

INVENTOR(S) : Hyung-soo KIM

Column 8, line 62, (claim 20, line 1) after "claim 11" insert --,--.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Ave., N.W.
Suite 700
Washington, DC 20005

PATENT NO. 6,865,004

No. of add'l copies
@ 50¢ per page

⇒